



SYMBANG

Everyday in everyday, we do the best for you best.
Let our specialists provide the convenience, just for you.




www.activa.com.tw

ACTIVA INC.
禾邦開發有限公司

Address 9F-1, 472, Chung San 2nd Road
Kaohsiung 800
Taiwan, R.O.C.

Contact info@symbang.com.tw
886-7-2824356
facebook/Activa,Inc
instagram/activa_fan
twitter/@ActivaInc



CONTENTS



OVERVIEW

About Us

MAIN PRODUCT LINES

PERCENTAGE RATIO & SALES REVENUE

Sales Revenue

ORGANIZATION CHART

Production Capacity | Reference Customers

FACTORY INTRODUCTION

ISO CERTIFICATE & SAFETY APPROVAL

MAIN PRODUCTION EQUIPMENT

QC INSPECTION INSTRUMENT

QC MISSION ORGANIZATION CHART



OVERVIEW



SYMBANG

我が社について

ACTIVA は常に冷却ファン及びモーター開発に力を入れており、20年余りのプラスチック製造及び射出成型経験で、既にAC/DC冷却ファン/ブロワーの専門のメーカーになって居り。好評を得ています。

長年にわたり、エンジニア部門は最先端のテスト設備を用いて、次世代の冷却ファンの開発に成果を上げております。また、新製品を定期的に開発、製造に心がけております。顧客様からの特注製造にも対応することが可能となっております。

ACTIVAは全て製造工程にSOP(標準作業手順書)を導入し、出荷前も厳密な品質管理を100%実施、顧客さまに安心してご購入いただくことを徹底しております。

ACTIVAのすべての製品はUL、CSA、TUV、CE&CULの安全規格に満たしており、TQCの承諾によって、高い信頼及び競争力を持っています。



MAIN PRODUCT LINES



1

AC/DC/EC軸流ファン

Size: From \varnothing 15mm to \varnothing 280mm
Flow: 0.3CFM to 1450CFM



2

AC/DCクロスフロア

Size: From \varnothing 25mm to \varnothing 150mm
Flow: 9CFM to 1770CFM



3

AC/DC/EC遠心ファン

Size: From \varnothing 133mm to \varnothing 404mm
Flow: 145CFM to 2100CFM



4

ファン アクセサリー

- Plug Cord
- Plastic/Metal Fan Guard
- Ventilator Filter
- Fan Snap Rivet



5

ダクトファン

Size: From \varnothing 10mm to \varnothing 200mm



6

ミスティングファン



7

インペラ

\varnothing 320- \varnothing 700mm



8

EC扇風機

14" & 16"



9

DCモーター

Size: From \varnothing 200mm to \varnothing 800mm



10

シロッコファン

Size: From 144mm to 411mm




11

天井ファン


1070-1320mm

PERCENTAGE RATIO & SALES REVENUE

Fan Assortment Percentage Ratio In Volume




Sales Revenue



in the normal operations of Symbang in a specified period

Organization Chart



Production Capacity



Reference Customers



FACTORY INTRODUCTION





ISO Certificate



ISO 9001



ISO 14001

D-U-N-S Certified



Safety approval



Component Mark for Canada and the United States
UL & CUL Number:E193733



Communauté européenne
CE Declaration of Conformity
We will provide the exact number of CE Declaration as your request.



Component Mark for China



Component mark for Explosion Proof
If you are interested in the Explosion-Proof fan,
please visit our Atex-Inquiry site and fill out the quote.

MAIN PRODUCTION EQUIPMENT

.....


DESIGNATION	QUANTITY	BRAND	MODEL
WINDING MACHINE	38	INNOVATIVE	QWLM
6CM HIGH TEMPERATURE SOLDER POT	4	SON YI	6CM
MAGNETIZING MACHINE	6	FERRITE	SUH-1210
BEARING INSERTING MACHINE	7	INNOVATIVE	AP-100
SOLDER POT	3	GU PIN	2.030
DIGITAL CURRENT-DIAPLAYING POWER SUPPLY	15	GU WEI	POWER
SEGMENTAL CONVEYER	5		
AUTOMATIC SOLDER MACHINE	1	SON YI	SEL-350-HC
ASSEMBLY LINE AUTOMATIC ASSEMBLING MACHINE	1	INNOVATIVE	
VAR MULTIMETER	6	CIE	120
DIGITAL VERNIER CALIPER	3	MITUTOYO	CD-6
DIGITAL INDUSTRIAL THERMOMETER	1	CIE	305
OSCILLOMETER	2	SAMPO	SS2020
POWER SUPPLY	2	GW	GPD-3030
ROTATION INDICATOR	2	INNOVATIVE	RPM
PERMANENT TEMPERATURE DRIER	1	CHEN HENG	ED-4
MICROCOMPUTER BALANCER	2	NAM LOM	MB-305

QC INSPECTION INSTRUMENT


DESCRIPTION	BRAND	MODEL	SET
A METER	YEW	2,011	2
V METER	YEW	2,051	1
V-A METER	YEW	2,012	1
R METER	YEW	2,792	2
BLOCK GAUGE	MITUTOYO	BM1-31-1	1
THERMO METER	YEW	2,455	1
OSCILLOSCOPE	KIKUSUI	5,021	1
ELE. HUMIDIDTY	ROTRONIC	DV-2	1
PULLING TESTER	JOHN CHATILLON	UTSM	1
BENDING TESTER (FOIL)	RUENN DAY	RF9882	1
BENDING TESTER (LEADS)	INNOVATIVE		1
NOISE INDICATOR	B & K		1
DIGITAL DVM METER	HP		1
ENVIRONMENT TESTER	JI FU		1
WIND RATE/WIND PRESSURE TESTER	I.T.I		1
ADVANCED BALANCER	NAN LON		1
WIND TUNNEL	ACTIVA	WT1000	1





Wind Tunnel System



Digital Dynamic Balancing Machine




Tacho Hitester



QC MISSION ORGANIZATION CHART *Quality Control Department Manager*



GLOBAL MARKET SHARE



Thank you!

Please feel free to
show your comments
any time!!

info@symbang.com.tw

SYMBANG

E·N·D

